

Line-up of FLIP Programs (English version)

★ For flip rose ver.7.4 and ver.8.0 series

★ For flip rose ver.7.2 series or earlier version

(As of April 2024)

Program	Description	FLIP ROSE ver.7 Series Academic Discount Version	FLIP ROSE ver.7 Series Subscription Version	FLIP ROSE 3D Subscription Version	FLIP Consortium User Member & Overseas Member	Category	
		[Number of computers] Stand-alone	[Number of computers] Stand-alone	[Number of computers] Stand-alone	[Number of computers] Maximum of ten computers connected through LAN		
F L I P R O S E 2 D	<p>★ flip rose 8.0 series</p> <p>Latest version: ver.8.1.0</p>	<p>(FLIP ROSE Ver. 8.0 Series have the functions of FLIP ROSE Ver.7.4 Series with the following addition and modification.)</p> <p>① Cookie model element (cohesive soil behavior has been idealized)</p> <p>② Change DBSW command</p> <p>③ Allow use of pore water element (drained) in conjunction with cookie model element (Allow to consider void ratio dependency of coefficient of permeability)</p> <p>④ Modify the specification in FLIP ROSE ver.8.0.0 that cohesion c was proportional to p_0 (initial value on normal consolidation curve) in cookie model element in consolidation settlement analysis under the conditions of simultaneous specification of overconsolidation and cohesion $C_a > 0$.</p> <p>⑤ Allow pile-soil interaction spring element applicable to cookie model element</p> <p>⑥ Debugging output setting of linear plane element</p> <p>⑦ Change the name "qus" in cocktail glass model element and "qusa" in cookie model element to "Sus" and "Susa", respectively.</p> <p>⑧ Fix a bug in cookie model element and introduce a new input parameter $rpn0c$</p>				○	Main Program
	<p>★ flip rose 7.4 series</p> <p>Latest version: ver.7.4.6</p>	<p>(FLIP ROSE Ver.7.4 Series have the functions of FLIP ROSE Ver.7.2 Series with the following addition and modification.)</p> <p>① Incorporate the function to represent pile skin friction to pile-soil interaction spring element</p> <p>② Introduce Hirayama's pile end bearing capacity model as a nonlinear spring element</p> <p>③ Improve the axial force dependency of trilinear $M-\phi$ relationship in nonlinear beam element (IEL=16)</p> <p>④ Add components of output elements and modify formats of output data</p> <p>⑤ Add a function of output flow velocity vector (added in ver.7.3.1)</p> <p>⑥ Add plane stress element as one of linear plane elements (added in ver.7.4.0)</p> <p>⑦ Introduce the bilinear model corresponding to the Revised Technical Standards and Commentaries for Port and Harbour Facilities (2018) (IHT=2 and IAX=5) (added in ver.7.4.0)</p> <p>⑧ Allow to output pore water element - soil element correspondence table to the file (#07)</p> <p>⑨ Fix the bug in Hirayama Model of pile-soil interaction spring model (IHN= - 4) and the bug in Rayleigh damping matrix of pile skin friction simulating function</p> <p>⑩ Bug-fix is applied on the fact that flow velocity vector file (#40) erroneously includes response data of elements other than pore water element (drained) when FLOW command for output flow velocity vector is executed</p> <p>⑪ Fix the bug in FLOW command from STAT command</p> <p>⑫ Fix the bug in INIT command in partially drained analysis</p> <p>⑬ Update the error treatment when the rounding error occurs in the routine for cocktail glass model element</p> <p>⑭ Modify the file open function as measures for Intel compiler update</p>	○	○		○	Main Program
	<p>flipsim 5.1 series ★</p> <p>(Latest version: ver.5.1.1)</p>	Program for determination of liquefaction parameters (multi-spring model element) (with drawing figure function) (for FLIP ROSE ver.7.3 or later)	○	○		○	Pre-Processor
	<p>flipgen 5.4 series ★</p> <p>Latest version: ver.5.4.2)</p>	Program implemented with the advanced function specialized for use in FLIP analysis which are different from commercially available mesh generators (with basic function used for mesh generation of standard analysis model) (for FLIP ROSE ver.7.4 or later)	○	○		○	Pre-Processor
	<p>flipcsim 5.2 series ★</p> <p>(Latest version: ver.5.2.0)</p>	Program for determination of liquefaction parameters (cocktail glass model element) (with simplified setup function of parameters and drawing figure function) (for FLIP ROSE ver.7.3 or later)	○	○		○	Pre-Processor
	<p>fileconv10 ★</p>	File format conversion program for drawing figures of time histories, stress paths, stress-strain relations by Excel (for FLIP ROSE Ver.7.3 or later)	○	○		○	Post-Processor
	<p>flip2dtomavs201 ★</p>	File format conversion program for 2D animation (MicroAVS) (for FLIP ROSE Ver.7.3 or later)	○	○		○	Post-Processor
	<p>flip2dtomavs201_eign ★</p>	File format conversion program for 2D animation (MicroAVS) for eigen mode (for FLIP ROSE Ver.7.3 or later)	○	○		○	Post-Processor
	<p>fliphist30 ★</p>	Time series data extraction program for drawing figures of time histories, stress paths and stress-strain relations (for FLIP ROSE Ver.7.3 or later)	○	○		○	Post-Processor
	<p>flipsect30 ★</p>	Spatial distribution data extraction program for drawing figures of deformation and excess pore water pressure distribution (for FLIP ROSE Ver.7.3 or later)	○	○		○	Post-Processor
<p>★ flip rose 7.2 series</p> <p>(Latest version: ver.7.2.3_7)</p>	<p>2D dynamic effective stress analysis program</p> <p>Undrained/partially drainage analysis (settlement due to dissipation of pore water pressure)</p> <p>Incorporated asymmetric modified Takeda model element to nonlinear beam element, etc.</p>	○			○	Main Program	
<p>flipsim 4.0 series ★</p> <p>(Latest version: ver.4.0.1)</p>	Program for determination of liquefaction parameters (multi-spring model element) (with drawing figure function) (for FLIP ROSE ver.7.2 series)	○			○	Pre-Processor	

Line-up of FLIP Programs (English version)

★ For flip rose ver.7.4 and ver.8.0 series

★ For flip rose ver.7.2 series

(As of April 2024)

Program	Description	FLIP ROSE ver.7 series Academic Discount Version	FLIP ROSE ver.7 Series Subscription Version	FLIP ROSE 3D Subscription Version	FLIP Consortium User Member & Overseas Member	Category
		[Number of computers] Stand-alone	[Number of computers] Stand-alone	[Number of computers] Stand-alone	[Number of computers] Maximum of ten computers connected through LAN	
FLIP ROSE 2D	flipgen 5.0 series ★ (Latest version: ver.5.0.5)	○			○	Pre-Processor
	flipcsim 4.0 series ★ (Latest version: ver.4.0.2)	○			○	Pre-Processor
	fileconv6 ★	○		○	○	Post-Processor
	flip2dtomavs17 ★	○			○	Post-Processor
	fliphist23 ★	○			○	Post-Processor
	flipsect25 ★	○			○	Post-Processor
	pickupdata6 ★ ★	○	○	○	○	Post-Processor
	waveconv33 ★ ★	○			○	Post-Processor
	flowplot ★	○			○	Post-Processor
VtkConv110 2D (Latest version -Members: ver.1.1.0 -ACA, Subscription: ver.1.0.3)	○	○		○	Post-Processor	
FLIP ROSE 3D	flip rose 3d 2.0 series (Latest version: ver.2.0.0)			○	○	Main Program
	flipmesh20 (Latest version: ver.2.0)			○	○	Pre-Processor
	flip3dtomavs20				○	Post-Processor
	flip3dtomavs17_eign				○	Post-Processor
	flip3dtomavs17_eign_fluid				○	Post-Processor
	flip3dhist21			○	○	Post-Processor
	flip3dsect21			○	○	Post-Processor
VtkConv110 3D (FLIP ROSE 3D version of VtkConv 2D)			○	○	Post-Processor	
FLIP TULIP	flip tulip 6.6 series (Latest version: ver.6.6.1)				○	Main Program
	tuliphist10				○	Post-Processor
	tulipsect10				○	Post-Processor

System requirements:

The executable modules of FLIP main programs and pre-/post- processors are compiled by Intel Visual Fortran to run on 64 bit Windows® 8 or later with Intel CoreI series 2nd generation or later.

Bugs:

FLIP Consortium will provide the bug fix release to FLIP Consortium User Members and Overseas Members and FLIP ROSE Ver.7 series Support Service Members as soon as the bug has been fixed. If a serious bug is found in a program, FLIP Consortium will arrange so that the bug fix release can be obtained by all the customers who have purchased FLIP ROSE Ver. 7 Series, including those who are not Support Service Members.